The diagram is prepared primarily for barometric essure 30 inches. Results will be sufficiently accurate pressure 30 inches. for most practical purposes whenever the barometric pressure is not less than 27 inches. The variation of dewpoint and relative humidity with barometric pressure is illustrated for the case of dry-bulb reading 60° and wetbulb 54° in the subjoined table.

Most evaporation formulas, including that of the

author, involve the maximum vapor pressure at the temperature of the evaporation surface, and the actual vapor pressure in the air, as factors. The diagram is especially adapted to the determination of these quantities, either from observational data where the dry-andwet-bulb readings are given, or from published data where either the air temperature and relative humidity, or air temperature and dewpoint, are given.

A PSYCHROMETRIC CHART FOR DETERMINING THE DEWPOINT AND RELATIVE HUMIDITY.

551.571 (084.8)

By R. B. SMITH, C. E.

[1997 Vinewood Ave., Detroit, Mich., Feb. 19, 1921.]

Psychrometric observations are usually reduced by means of tables computed from some formula for the pressure of aqueous vapor in the air and from the known values of this pressure for saturated air. It is entirely feasible to perform this reduction graphically without the use of tables by means of a chart constructed accord-

ing to the following principles:

(1) The addition of two quantities which can be represented with sufficient accuracy on a suitable scale can be effected graphically by laying a straight edge between two scales on which the two quantities are plotted and reading the value where the straight edge crosses a third scale, midway between the other two, in units one half as large as those used in plotting the quantities to be added, provided all three scales have their zero values on a straight line. This is clear from Fig. 1, in which a and b represent the quantities to be added and a'+b' represents their half sum for all values of a and b.

(2) The subtraction of one quantity from another can be effected graphically by the same operation, provided the quantity to be subtracted is plotted in a direction opposite to that of the other two scales, as shown by Fig. 2, where evidently a'-b' represents half the difference between a and b for all values of a and b.

(3) Multiplication or division can be performed graphically by substituting, for the numbers representing the quantities to be added or subtracted, their logarithms.


Fig. 3 illustrates the application of the foregoing principles to the graphical reduction of psychometric observations by a solution of the formula

$$e-e'-.00066 B (t-t') (1+.00115 t').$$

The factor B is incorporated in the solution as follows: If a, Fig. 3, represents a value of $.00066 \times 760$ (t-t'), b the value 760 and b' the value of B, then a' = B(t-t') =760B (t-t')/760, since a':b::a:b, or a'=ab'/b.

The relative humidity is determined by measuring directly the difference between the values of log e', figure 3, corresponding to the temperature of the air and the temperature of saturation (dewpoint) respectively and subtracting this difference from the value of log 100.

The chart when ready for use in reducing observations is simply lettered with the values of the psychrometric data corresponding to the values on the scales and with notes giving an explanation of the procedure to be followed






Fig. 3. SCHEME OF GRAPHICAL SOLUTION OF THE FORMULA C=C'-00066 B(t-t)(H-00115t') EMPLOYED IN CONSTRUCTING PSYCHROMETRIC CHART.

